


VK1622S PAD文件



VK1622S 尺寸规格: 1910 × 1910 um² , 衬底电位: VDD

PAD大小: 90 × 90um, 间距: 112 um, 铝垫大小: 100 × 100um, 铝垫厚度: 1 um

脚位坐标

序号	PAD NAME	X (Center)um	Y (Center)um	NOTE
1	CSB	-775.200	827.600	
2	RDB	-775.200	717.600	
3	WRB	-775.200	607.600	
4	DATA	-775.200	497.600	
5	VSS	-775.200	373.600	
6	OSCI	-775.200	263.600	
7	VDD	-775.200	153.600	
8	VLCD	-775.200	43.600	
9	IRQB	-775.200	-66.400	
10	BZ	-775.200	-176.400	
11	BZB	-775.200	-303.600	
12	T1	-775.200	-413.600	
13	T2	-775.200	-523.600	
14	T3	-775.200	-633.600	
15	COM0	-728.900	-828.500	
16	COM1	-618.900	-828.500	
17	COM2	-508.900	-828.500	
18	COM3	-508.900	-828.500	
19	COM4	-288.900	-828.500	
20	COM5	-178.900	-828.500	
21	COM6	-68.900	-828.500	
22	COM7	41.100	-828.500	
23	SEG0	151.100	-828.500	
24	SEG1	261.100	-828.500	
25	SEG2	371.100	-828.500	
26	SEG3	481.100	-828.500	
27	SEG4	591.100	-828.500	

28	SEG5	701.100	-828.500	
29	SEG6	811.050	-828.450	
30	SEG7	828.550	-562.850	
31	SEG8	828.550	-452.850	
32	SEG9	828.550	-342.850	
33	SEG10	828.550	-232.850	
34	SEG11	828.550	-122.850	
35	SEG12	828.550	-12.850	
36	SEG13	828.550	97.150	
37	SEG14	828.550	207.150	
38	SEG15	828.550	317.150	
39	SEG16	828.550	427.150	
40	SEG17	828.550	537.150	
41	SEG18	828.550	647.150	
42	SEG19	828.550	757.150	
43	SEG20	670.950	828.500	
44	SEG21	560.950	828.500	
45	SEG22	450.950	828.500	
46	SEG23	340.950	828.500	
47	SEG24	230.950	828.500	
48	SEG25	120.950	828.500	
49	SEG26	10.950	828.500	
50	SEG27	99.050	828.500	
51	SEG28	-209.050	828.500	
52	SEG29	-319.050	828.500	
53	SEG30	-429.050	828.500	
54	SEG31	-539.050	828.500	